

PharmLabs San Diego Certificate of Analysis

Sample **Guava Kush**

Delta9 THC	0.25%	THCa	30.38%	Total THC (THCa * 0.877 + THC)	26.89%	Delta8 THC	ND
------------	-------	------	--------	--------------------------------	--------	------------	----



Sample ID	SD260303-075 (134278)	Matrix	Flower
Tested for	VAYU		
Batch ID	GK121001	Received	Apr 03, 2026
Analyses executed	CAN+, MWA, 1BD	Reported	Apr 04, 2026

* CAN+ - Cannabinoids

Analyzed Apr 03, 2026 | Instrument HPLC-VWD | Method SOP-001
The expanded Uncertainty of the Cannabinoids analysis is approximately ±7.81% at the 95% Confidence Level

Analyte	LOD mg/g	LOQ mg/g	Result %	Result mg/g
Cannabidiarin (CBDv)	0.039	0.16	ND	ND
Cannabidiol (CBD)	0.011	0.03	ND	ND
Cannabidiol Acid (CBDA)	0.033	0.16	5.30	52.96
Cannabigerol Acid (CBGA)	0.033	0.16	0.20	2.00
Cannabigerol (CBG)	0.048	0.16	<LOQ	<LOQ
Cannabidiol (CBD)	0.069	0.229	0.15	1.48
Tetrahydrocannabivarin (THCV)	0.049	0.16	ND	ND
Cannabinol (CBN)	0.047	0.16	ND	ND
Tetrahydrocannabinol (Δ9-THC)	0.092	0.307	0.25	2.54
Δ8-tetrahydrocannabinol (Δ8-THC)	0.044	0.16	ND	ND
Cannabicyclol (CBL)	0.0012	0.16	ND	ND
Cannabichromene (CBC)	0.13	0.432	<LOQ	<LOQ
Tetrahydrocannabinolic Acid (THCA)	0.117	0.389	30.38	303.75
Total THC (THCa * 0.877 + Δ9THC)			26.89	268.93
Total THC + Δ8THC (THCa * 0.877 + Δ9THC + Δ8THC)			26.89	268.93
Total CBD (CBDA * 0.877 + CBD)			4.79	47.93
Total CBG (CBGa * 0.877 + CBG)			0.18	1.75
Total Cannabinoids Analyzed			31.86	318.61

*Dry Weight %

MWA - Moisture Content & Water Activity

Analyzed Apr 03, 2026 | Instrument Chilled-mirror Dewpoint and Capacitance | Method SOP-008

Analyte	LOD a _w	LOQ a _w	Result	Limit	Analyte	LOD % M/w	LOQ % M/w	Result	Limit
Water Activity (WA)	0.03	0.03	0.66 a _w	0.85 a _w	Moisture (Moi)	0.0	0.0	10.2 % Mw	13 % Mw

UI Unidentified
ND Not Detected
N/A Not Applicable
NT Not Reported
LOD Limit of Detection
LOQ Limit of Quantification
<LOQ Detected
>ULOL Above upper limit of linearity
CFU/g Colony Forming Units per 1 gram
TNTC Too Numerous to Count



DEA license: **RP0611043**
ISO/IEC 17025:2017 Acc. 85368



Scan the QR code to verify authenticity.

Authorized Signature

Brandon Starr

Brandon Starr, Quality Assurance Manager
Sat, 04 Apr 2026 12:17:41 -0800

PharmLabs San Diego | 6696 Mesa Ridge Rd #A, San Diego, CA 92121 | 619.356.0898 | ISO/IEC 17025:2017 Acc. 85368



PharmLabs hereby states that its Certificates of Analysis (COA) do not certify compliance with any federal, state, or local law or regulation, including but not limited to the 2018 Farm Bill. This COA is provided solely for informational purposes and is not intended for reliance by consumers or purchasers of a product. This report shall not be reproduced, except in full, without the prior written approval of PharmLabs. This report is not intended to diagnose, treat, cure, or prevent any disease. Results apply only to the specific sample(s) and batch(es) identified on this COA and do not represent any other lot, batch, or product from the client. Measurement of uncertainty is available upon request and, when legally required, has been reported on the certificate. PharmLabs makes no representation or warranty, express or implied, regarding the tested product's safety, efficacy, quality, merchantability, or fitness for a particular purpose. PharmLabs expressly disclaims any liability for damages, claims, costs, or expenses arising out of the use, misuse, or reliance upon this COA by any party. PharmLabs relies on information provided by the client regarding the identity, sampling, and chain of custody of the submitted material. PharmLabs assumes no responsibility for errors, omissions, or misrepresentations in such information. It is the sole responsibility of the client to determine and ensure the compliance of their product(s) with all applicable federal, state, and local laws and regulations. This COA may not be used in whole or in part for marketing, advertising, promotional, or labeling purposes without the prior written consent of PharmLabs. This COA is valid only as of the date of issuance and does not guarantee the stability or continued conformity of the tested product beyond that date. Any dispute arising out of or related to this COA shall be governed by the laws of the State of California, without regard to its conflict of laws principles.

Certificate of Analysis

Produced: Apr 24, 2026

Sample: Guava Kush (Flower) • Client: VAYU • Batch: Pass

Batch No.: GK121001
Src Pkg: Guava Kush
Matrix: Flower
Sample ID: ICC-260225-24-002
Collected on: Apr 22, 2026
Received on: Apr 22, 2026
Sample Size:

Batch Result: Pass

Solvents	Tested	Pesticides	Pass
Metals	Pass	Foreign	Pass
Microbial	Pass	Moisture	Tested
Mycotoxins	Pass	Water Activity	Pass

infiniteCAL

:: Residual Solvents by GC-MS • Apr 24, 2026 15:55:00 PST

Analyte	Limit	Amt (µg/g)	LOD/LOQ (µg/g)	Pass/Fail	Analyte	Limit	Amt (µg/g)	LOD/LOQ (µg/g)	Pass/Fail
Butane		ND	0.812/4.06	N/A	Chloroform		ND	0.0301/0.0904	N/A
Hexane		ND	0.0552/0.235	N/A	Ethyl ether		ND	0.990/2.97	N/A
Acetone		ND	14.3/42.9	N/A	Acetonitrile		ND	0.100/0.300	N/A
Benzene		ND	0.0176/0.0535	N/A	Ethyl acetate		ND	0.262/1.91	N/A
Ethanol		< LOQ	2.19/6.56	N/A	Ethylene oxide		ND	0.128/0.484	N/A
Heptane		ND	0.575/2.39	N/A	p- and m-Xylene		ND	0.0966/1.44	N/A
Pentane		ND	0.805/3.57	N/A	Isopropyl alcohol		4.98	1.07/3.21	N/A
Propane		ND	3.71/11.1	N/A	Trichloroethylene		ND	0.0151/0.121	N/A
Toluene		< LOQ	0.0736/0.723	N/A	1,2-Dichloroethane		ND	0.140/0.426	N/A
Methanol		ND	2.49/7.46	N/A	Methylene chloride		ND	0.106/0.610	N/A
o-Xylene		ND	0.0843/0.717	N/A					

HM-INST-003, HM-PREP-001: HM-INST-003, HM-PREP-001: Heavy Metals Testing by ICP-MS • Apr 24, 2026 13:40:00 PST

Analyte	Limit (µg/g)	Amt (µg/g)	LOD/LOQ (µg/g)	Pass/Fail	Analyte	Limit (µg/g)	Amt (µg/g)	LOD/LOQ (µg/g)	Pass/Fail
Arsenic	0.2	0.0183	0.00300/0.00900	Pass	Lead	0.5	0.00881	0.00100/0.00400	Pass
Cadmium	0.2	0.0486	0.00100/0.00200	Pass	Mercury	0.1	ND	0.00500/0.0140	Pass



Signature

Signature

Analyte	Limit	Amt	Pass/Fail	Analyte	Limit	Amt	Pass/Fail
Aspergillus flavus	Any amt in 1 gram	ND	Pass	Aspergillus terreus	Any amt in 1 gram	ND	Pass
Aspergillus fumigatus	Any amt in 1 gram	ND	Pass	Salmonella spp.	Any amt in 1 gram	ND	Pass
Aspergillus niger	Any amt in 1 gram	ND	Pass	Shiga toxin-producing E. coli	Any amt in 1 gram	ND	Pass

PESTMYCO-LC-INST-004, PESTMYCO-LC-PREP-001: PESTMYCO-LC-INST-004, PESTMYCO-LC-PREP-001: Mycotoxin Analysis by LC-MS/MS • Apr 24, 2026 13:58:00 PST

Analyte	Limit (µg/kg)	Amt (µg/kg)	LOD/LOQ (µg/kg)	Pass/Fail	Analyte	Limit (µg/kg)	Amt (µg/kg)	LOD/LOQ (µg/kg)	Pass/Fail
Aflatoxin B1		ND	0.990/5.00	N/A	Aflatoxin G2		ND	0.780/5.00	N/A
Aflatoxin B2		ND	2.00/6.05	N/A	Aflatoxins	20	ND		Pass
Aflatoxin G1		ND	3.38/10.2	N/A	Ochratoxin A	20	ND	6.43/19.5	Pass

PEST-GC-INST-003, PEST-GC-PREP-001: PEST-GC-INST-003, PEST-GC-PREP-001: Pesticide Analysis by GC-MS/MS • Apr 24, 2026 13:49:00 PST

Analyte	Limit (µg/g)	Amt (µg/g)	LOD/LOQ (µg/g)	Pass/Fail	Analyte	Limit (µg/g)	Amt (µg/g)	LOD/LOQ (µg/g)	Pass/Fail
Captan	0.7	ND	0.120/0.358	Pass	Cypermethrin	1	ND	0.0256/0.0768	Pass
Chlordane	Any amt	ND	0.0249/0.0747	Pass	Methyl parathion	Any amt	ND	0.00811/0.0243	Pass
Chlorfenapyr	Any amt	ND	0.0251/0.0753	Pass	Pentachloronitrobenzene	0.1	ND	0.0182/0.0545	Pass
Cyfluthrin	2	ND	0.0186/0.0558	Pass					

PESTMYCO-LC-INST-004, PESTMYCO-LC-PREP-001: PESTMYCO-LC-INST-004, PESTMYCO-LC-PREP-001: Pesticide Analysis by LC-MS/MS • Apr 24, 2026 13:59:00 PST

Analyte	Limit (µg/g)	Amt (µg/g)	LOD/LOQ (µg/g)	Pass/Fail	Analyte	Limit (µg/g)	Amt (µg/g)	LOD/LOQ (µg/g)	Pass/Fail
Abamectin	0.1	ND	0.0500/0.100	Pass	Methiocarb	Any amt	ND	0.0105/0.0319	Pass
Abamectin Ba		ND	0.0330/0.0990	N/A	Methomyl	1	ND	0.0118/0.0356	Pass
Acephate	0.1	ND	0.0105/0.0317	Pass	Mevinphos	Any amt	ND	0.0128/0.0387	Pass
Acequinocyl	0.1	ND	0.0237/0.0718	Pass	Myclobutanil	0.1	ND	0.0149/0.0451	Pass
Acetamiprid	0.1	ND	0.00926/0.0300	Pass	Naled	0.1	ND	0.0204/0.0618	Pass
Aldicarb	Any amt	ND	0.0180/0.0544	Pass	Oxamyl	0.5	ND	0.0119/0.0361	Pass
Azoxystrobin	0.1	ND	0.00595/0.0300	Pass	Paclobutrazol	Any amt	ND	0.0111/0.0335	Pass
Bifenazate	0.1	ND	0.00972/0.0300	Pass	Permethrin	0.5	ND	0.0162/0.0491	Pass
Bifenthrin	3	ND	0.00640/0.0300	Pass	Permethrin cis		ND	0.0300/0.0500	N/A
Boscalid	0.1	ND	0.0115/0.0348	Pass	Permethrin trans		ND	0.0300/0.0500	N/A
Carbaryl	0.5	ND	0.0139/0.0420	Pass	Phosmet	0.1	ND	0.0101/0.0307	Pass
Carbofuran	Any amt	ND	0.00666/0.0300	Pass	Piperonylbutoxide	3	ND	0.00635/0.0300	Pass
Chlorantraniliprole	10	ND	0.0123/0.0373	Pass	Prallethrin	0.1	ND	0.0149/0.0453	Pass
Chlorpyrifos	Any amt	ND	0.0158/0.0479	Pass	Propiconazole	0.1	ND	0.0138/0.0417	Pass
Clofentezine	0.1	ND	0.00940/0.0300	Pass	Propoxur	Any amt	ND	0.0115/0.0350	Pass
Coumaphos	Any amt	ND	0.0103/0.0312	Pass	Pyrethrins	0.5	ND	0.00682/0.0300	Pass
Daminozide	Any amt	ND	0.0283/0.0300	Pass	Pyrethrins Cinerin I		ND		N/A
Diazinon	0.1	ND	0.00328/0.0300	Pass	Pyrethrins Cinerin II		ND		N/A
Dichlorvos	Any amt	ND	0.0217/0.0658	Pass	Pyrethrins Jasmolin I		ND		N/A
Dimethoate	Any amt	ND	0.00982/0.0300	Pass	Pyrethrins Jasmolin II		ND		N/A
Dimethomorph	2	ND	0.00916/0.0300	Pass	Pyrethrins Pyrethrin I		ND	0.0300/0.0450	N/A
Ethoprophos	Any amt	ND	0.0115/0.0349	Pass	Pyrethrins Pyrethrin II		ND	0.0200/0.0300	N/A
Etofenprox	Any amt	ND	0.00620/0.0300	Pass	Pyridaben	0.1	ND	0.00778/0.0300	Pass
Etoxazole	0.1	ND	0.00516/0.0300	Pass	Spinetoram	0.1	ND	0.00500/0.0300	Pass
Fenhexamid	0.1	ND	0.0118/0.0357	Pass	Spinetoram J		ND	0.0100/0.0200	N/A
Fenoxycarb	Any amt	ND	0.0108/0.0327	Pass	Spinetoram L		ND	0.0100/0.0200	N/A
Fenpyroximate	0.1	ND	0.00639/0.0300	Pass	Spinosad	0.1	ND	0.00250/0.0300	Pass
Fipronil	Any amt	ND	0.0167/0.0507	Pass	Spinosad A		ND	0.0100/0.0300	N/A
Flonicamid	0.1	ND	0.0177/0.0537	Pass	Spinosad D		ND	0.0100/0.0300	N/A
Fludioxonil	0.1	ND	0.0177/0.0535	Pass	Spiromesifen	0.1	ND	0.00830/0.0300	Pass
Hexythiazox	0.1	ND	0.0106/0.0321	Pass	Spirotetramat	0.1	ND	0.00995/0.0302	Pass
Imazalil	Any amt	ND	0.0135/0.0410	Pass	Spiroxamine	Any amt	ND	0.00794/0.0300	Pass
Imidacloprid	5	ND	0.0180/0.0546	Pass	Tebuconazole	0.1	ND	0.0101/0.0306	Pass
Kresoxim-methyl	0.1	ND	0.0117/0.0354	Pass	Thiacloprid	Any amt	ND	0.0109/0.0329	Pass
Malathion	0.5	ND	0.00830/0.0300	Pass	Thiamethoxam	5	ND	0.0118/0.0357	Pass
Metaxyl	2	ND	0.00661/0.0300	Pass	Trifloxystrobin	0.1	ND	0.00557/0.0300	Pass

MOISTURE-001: MOISTURE-001: Cannabis Plant Material Moisture by Moisture Analyser • Apr 24, 2026 13:35:00 PST

Analyte	Amt (%)	Pass/Fail
Moisture	10.9	N/A



[Signature]

[Signature]

Analyte	Limit (Aw)	Amt (Aw)	Pass/Fail
Water Activity	0.65	0.599	Pass



A handwritten signature in black ink, appearing to read "DM", is placed below the certification text for David Marelius.

A handwritten signature in black ink, appearing to read "Erik Paul", is placed below the certification text for Erik Paulson.